Wall-mounted boards single surface

Smit Visual single surface boards are constructed with robust materials and a thick solid core. They rightly carry the stamp 'Premium Dutch Quality'. We produce single surface boards of up to 4 meters long!



Softline 8 mm












size	Dimensions	Article number
16:10/16:9,100"	150 x 240 cm	11103.343
16:9, 94"	126 x 231 cm	11103.380
16:10, 83"	128 x 201 cm	11103.357



Softline 8mm projection board, Low Gloss, finger touch

LIFETIME WARRANTY

www.smit-visual.com


- Projection surface of Low Gloss enamelled steel fused at 800°C
- Suitable for short-throw / ultra short-throw interactive finger-touch projectors such as Epson EB-695Wi, EB-1485Fi or EB-770Fi
- Available in various projection ratios and sizes
- 94" and 83" projection boards, including grey strip for touch sensor
- Suitable for very intensive and long-term use
- Anodised aluminium frame with plastic corner pieces
- Includes mounting materials and 30 cm pen tray
- Magnetic, dry wipe








Vall-mounted boards single surface











size	Dimensions	Article number	
16:10/16:9(100")	150 x 240 cm	11103.343	
4:3	150 x 200 cm	11103.341	
1:1	150 x 150 cm	11103.340	4
5:2	120 x 300 cm	11103.339	
2:1	120 x 240 cm	11103.330	
16:9 (95")	120 x 214 cm	11103.335	
	120 x 200 cm	11103.338	
16:10 (88")	120 x 192 cm	11103.346	
4:3	120 x 160 cm	11103.331	



Projection ratio	Dimensions	Article number
16:9	150 x 267 cm	11103.362
16:10	150 x 240 cm	11103.361
4:3	150 x 200 cm	11103.360
1:1	150 x 150 cm	11103.363
16:9	120 x 214 cm	11103.367
16:10	120 x 192 cm	11103.366
4:3	120 x 160 cm	11103.365



www.smit-visual.com



Projection surface of Low Gloss enamelled steel fused at 800°C
Suitable for short-throw / ultra short-throw (interactive pen) projectors such as Epson EB-685Wi, EB-1480Fi or EB-760Wi
Available in various projection ratios and sizes.
Suitable for very intensive and long-term use
Anodised aluminium frame with plastic corner pieces
Includes mounting materials and 30 cm pen tray
Magnetic, dry wipe



Made of wood from responsibly managed forests

Softline 8mm projection board, Projection steel



 Projection surface of Projection enamelled steel fused at 800°C
The surface has the ideal properties for long-throw projection: perfect projection without a hot spot and a wide viewing angle, gloss level: 13 GU (60°)

- Available in various projection ratios and sizes.

- Suitable for very intensive and long-term use

- Anodised aluminium frame with plastic corner pieces


- Includes mounting materials and 30 cm pen tray

- Magnetic, wet wipe

Projection boards ExtraFlat

The ExtraFlat profile is much used in schools. The frame can be combined with a lightweight core, allowing mounting on height-adjustable structures such as columns. ExtraFlat boards are supplied as standard with a pen/chalk tray along the entire width of the board.








size Dimensions Article number 16:10,83" 128 x 201 cm 17106.101

18400.040

Aluminium pen tray, 31 cm (optional):



ExtraFlat Projection Board, Low Gloss, finger touch, 16:10 - 83"




- Projection surface of Low Gloss enamelled steel fused at 800°C -
- Suitable for short-throw / ultra short-throw interactive finger-touch projectors (16:10) such as Epson EB-695Wi or EB-770Fi
- Includes grey strip for touch sensor -
- Suitable for very intensive and long-term use -
- Anodised aluminium frame with plastic corner pieces -
- Mounting materials included -
- Magnetic, dry wipe -





Projection ratio/ size	Dimensions	Article number	E
16:9,94"	126 x 231 cm	17106.108	16
Aluminium pen tra	y, 31 cm (optional):	18400.040	





_

-

-

-

-

ExtraFlat projection board









xtraFlat Projection Board, Low Gloss, finger touch, 6:9 - 94"






- Projection surface of Low Gloss enamelled steel fused at 800°C
- Suitable for short-throw / ultra short-throw interactive finger-touch
- projectors (16:9) such as Epson EB-1485Fi or EB-770Fi
- Includes grey strip for touch sensor
- Suitable for very intensive and long-term use
- Anodised aluminium frame with plastic corner pieces
- Mounting materials included
- Magnetic, dry wipe







ALMUINHBMGTFEDENSGENONNJHBGUTHY





Projection ratio/			
size	Dimensions	Articlenumber	
16:10, 16:9, 100"	150 x 240 cm	17106.106	
Aluminium pen tray, 31 cm	(optional):	18400.040	
16:10			







-



www.smit-visual.com

ExtraFlat projection board





ExtraFlat Projection Board, Low Gloss, finger touch, 16:10,16:9 - 100"





- Projection surface of Low Gloss enamelled steel fused at 800°C Suitable for short-throw / ultra short-throw interactive finger-touch
 - projectors such as Epson EB-695Wi, EB-770Fi (16:10) Epson EB-1485Fi or EB-770Fi (16:9)
- Suitable for very intensive and long-term use
- Anodised aluminium frame with plastic corner pieces
- Mounting materials included
- Magnetic, dry wipe








size	Dimensions	Article number
16:10, 88"	120 x 192 cm	17106.100
16:10, 100"	150 x 240 cm	17106.106
Aluminium pen tray, 3	1 cm (optional):	18400.040

Projection ratio/		
size	Dimensions	Article number
16:9, 95"	120 x 214 cm	17106.115
Aluminium pen tray	, 31 cm (optional):	18400.040

\bigcirc		

^T Made of wood from responsibly managed forests



Projection boards ExtraFlat

Winged projection boards are lightweight, allowing them to be mounted on columns (see from page 98). These boards can have recesses in them for touch sensor modules. The wings can then still be folded away completely. The grey strip on the board is the area where the module can be installed.






size Dimensions 16:10,83" 128 x 201 cm

Aluminium pen tray, 31 cm (optional):



Article number



ExtraFlat Projection Board, Low Gloss, finger touch, 16:10



- Projection surface of Low Gloss enamelled steel fused at 800°C -
- The board has two wings with a double-sided writing surface of white _ enamelled steel fused at 800°C
- Suitable for short-throw / ultra short-throw interactive finger-touch projectors (16:10) such as Epson EB-695Wi or EB-770Fi
- Includes grey strip for touch sensor -
- Suitable for very intensive and long-term use -
- Anodised aluminium frame with plastic corner pieces -
- Mounting materials included -Magnetic, dry wipe -









size	Dimensions	Article number	-
16:9, 94"	126 x 231 cm	17106.208	fi





-

-

-

LIFETIME

WARRANTY

ExtraFlat projection board



ExtraFlat Projection Board, Low Gloss, finger touch, 16:9






- Projection surface of Low Gloss enamelled steel fused at 800°C
- The board has two wings with a double-sided writing surface of white enamelled steel fused at 800°C
- Suitable for short-throw / ultra short-throw interactive finger-touch
- projectors (16:9) such as Epson EB-1485Fi or EB-770Fi
- Includes grey strip for touch sensor
- Suitable for very intensive and long-term use
- Anodised aluminium frame with plastic corner pieces
- Mounting materials included
- Magnetic, dry wipe





Projection ratio/ size	Dimensions	Article number
16:9, 95"	120 x 214 cm	17106.205
Aluminium pen tray	, 31 cm (optional):	18400.040




ExtraFlat projection board

LIFETIME

Wall-mounted boards heightadjustable


The height-adjustable writing boards can easily be changed or moved. Each suspension system has its own benefits and attributes, but they all provide flexibility of use.





size	Dimensions
16:10, 83"	128 x 201 cm
16:10, 100"	150 x 240 cm






ExtraFlat Projection Board, Low Gloss, finger touch, 16:10




- Projection surface of Low Gloss enamelled steel fused at 800°C -
- Suitable for short-throw / ultra short-throw interactive finger-touch _ projectors (16:10) such as Epson EB-695Wi or EB-770Fi
- 83" board, including grey strip for touch sensor -
- Mounted between two columns, standard height: 265 cm. -Taller columns optional
- Infinitely adjustable height _
- Suitable for very intensive and long-term use -
- Anodised aluminium frame with plastic corner pieces -
- Includes mounting materials and two 31 cm aluminium pen trays -
- Magnetic, dry wipe _





Projection ratio/			
size	Dimensions	Article number	
16:9, 94"	126 x 231 cm	18310.422	
16:9,100"	150 x 240 cm	18310.423	







LIFETIME

WARRANTY

Columns - projection boards


ExtraFlat Projection Board, Low Gloss, finger touch, 16:9



- Projection surface of Low Gloss enamelled steel fused at 800°C
- Suitable for short-throw / ultra short-throw interactive finger-touch
- projectors (16:9) such as Epson EB-1485Fi or EB-770Fi
- 94" board, including grey strip for touch sensor
- Mounted between two columns, standard height: 265 cm.
- Taller columns optional
- Infinitely adjustable height
- Suitable for very intensive and long-term use
- Anodised aluminium frame with plastic corner pieces
- Includes mounting materials and two 31 cm aluminium pen trays
- Magnetic, dry wipe



size 16:10,88" 16:10,100" Dimensions Article number 120 x 192 cm 18310.102 150 x 240 cm 18310.423




ExtraFlat Projection Board, Low Gloss, 16:10



- Projection surface of Low Gloss enamelled steel fused at 800°C -
- Suitable for short-throw / ultra short-throw (interactive pen) projectors (16:10) _ such as Epson EB-685Wi, EB-1480Fi or EB-760Wi
- Mounted between two columns, standard height: 265 cm.
- Taller columns optional
- Infinitely adjustable height -
- -Suitable for very intensive and long-term use
- Anodised aluminium frame with plastic corner pieces -
- Includes mounting materials and two 31 cm aluminium pen trays -
- Magnetic, dry wipe -





Projection ratio/		
size	Dimensions	Article number
16:9,95"	120×214 cm	18310.122





- -
- Anodised aluminium frame with plastic corner pieces
- Includes mounting materials and two 31 cm aluminium pen trays
- Magnetic, dry wipe



Columns - projection boards


ExtraFlat Projection Board, Low Gloss, 16:9





- Projection surface of Low Gloss enamelled steel fused at 800°C
- Suitable for short-throw / ultra short-throw (interactive pen) projectors (16:9)
- such as Epson EB-1480Fi or EB-760Wi
- Mounted between two columns, standard height: 265 cm.
- Taller columns optional
- Infinitely adjustable height
- Suitable for very intensive and long-term use









Projection ratio/		
size	Dimensions	Article number
16:9,94"	126 x 231 cm	18310.421



- Magnetic, dry wipe













— 2302 mm






- The board has two wings with a double-sided writing surface of white enamelled steel, fused at 800°C
- Suitable for short-throw / ultra short-throw interactive finger-touch projectors (16:9)
- such as Epson EB-1485Fi or EB-770Fi

- Mounted between two columns, standard height: 265 cm. Taller columns optional - Infinitely adjustable height
- Anodised aluminium frame with plastic corner pieces - Includes mounting materials and two 31 cm aluminium pen trays











- Includes grey strip for touch sensor



— 1145 mm —

We make it visible


www.smit-visual.com

LIFETIME

WARRANTY

Projection ratio/ Dimensions 16:10,83" 128 x 201 cm

18310.411




- Article number
- Winged ExtraFlat Projection Board, Low Gloss, finger touch, 16:10

 - Projection surface of Low Gloss enamelled steel fused at 800°C -
 - The board has two wings with a double-sided writing surface of white enamelled steel fused at 800°C
 - Suitable for short-throw / ultra short-throw interactive finger-touch projectors -(16:10) such as Epson EB-695Wi or EB-770Fi
 - Includes grey strip for touch sensor -
 - Mounted between two columns, standard height: 265 cm. Taller columns optional -
 - Infinitely adjustable height -
 - Suitable for very intensive and long-term use --
 - Anodised aluminium frame with plastic corner pieces Includes mounting materials and two 31 cm aluminium pen trays -
 - Magnetic, dry wipe -

Made of wood from responsibly managed forests

102

size







Columns - projection boards





- Projection surface of Low Gloss enamelled steel fused at 800°C
- Suitable for very intensive and long-term use







Projection ratio/	tion ratio/		
size	Dimensions	Article number	16
16:9,95"	120 x 214 cm	18310.121	10





- -



- -
- -
- Includes mounting materials and two 31 cm aluminium pen trays








Dimensions

120 x 192 cm



Projection ratio/


size 16:10,88" Article number 18310.112



WARRANTY Winged ExtraFlat Projection Board, Low Gloss, 16:10

- Projection surface of Low Gloss enamelled steel fused at 800°C -
- The board has two wings with a double-sided writing surface of white enamelled steel fused at 800°C
- Suitable for short-throw / ultra short-throw (interactive pen) projectors (16:10) such as Epson EB-685Wi, EB-1480Fi or EB-760Wi
- Mounted between two columns, standard height: 265 cm.
- Taller columns optional
- Infinitely adjustable height --
- Suitable for very intensive and long-term use Anodised aluminium frame with plastic corner pieces -
- Includes mounting materials and two 31 cm aluminium pen trays -
- Magnetic, dry wipe -

Made of wood from responsibly managed forests



Columns - projection boards





- enamelled steel fused at 800°C
- Suitable for short-throw / ultra short-throw (interactive pen) projectors (16:9)
- such as Epson EB-1480Fi or EB-7360W
- Mounted between two columns, standard height: 265 cm.
- Taller columns optional
- Infinitely adjustable height
- Suitable for very intensive and long-term use
- Anodised aluminium frame with plastic corner pieces
- Magnetic, dry wipe

Mobile and flexible

When designing mobile boards, we apply one condition that must not be compromised: above all else, the construction must be stable. Smit Visual has a range of different products for different specific uses.







-210-

50

-67-


- -

www.smit-visual.com

Revolving projection board

- Anodised aluminium frame with plastic corner pieces
- The sturdy white base has a long pen tray and four solid
 - industrial wheels, two of which have brakes
- The rotary knob allows the board to be turned through 360° and to be fixed at any angle
- Magnetic, dry wipe writing surface and wet wipe projection surface

PartnerLine Rail System projection board







PartnerLine Rail projection board, Projection



Projection ratio 16:10 16:3

Dimensions 118 x 189 cm 118 x 157 cm



Article number 11106.161 11106.160

- Projection surface of Projection enamelled steel fused at 800°C
- The surface has the ideal properties for long-throw projection: perfect projection without a hot spot and a wide viewing angle, gloss level: 13 GU (60°)
- Suitable for very intensive and long-term use
- Lightweight board
- White PartnerLine frame with white plastic corner pieces
- Includes 30 cm pen tray and rail mounting adapter set
- Magnetic, dry wipe _
- PartnerLine Rail (p. 148-149) needs to be ordered separately _

