




Acoustic

Good acoustics are a basic requirement for any business premises. The Smit Visual Acoustic range responds to this with easy to use products that muffle annoying sound reverberations.



Wall tiles	186
Wall panels	191
Ceiling panels	195
Partition screens	197
Partition walls	202



Set of 12 sound-absorbing PET felt wall tiles



Colours	Article number
Yellow set 4x yellow / 4x light grey / 4x dark grey	11209.000
Petrol green set 4x petrol green / 4x light grey / 4x dark grey	11209.001
Grey set 6x light grey / 6x dark grey	11209.002

- Set of 12 tiles, 30 x 30 cm
- Made of recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.6
- Can also serve as pinboard
- Flammability: EN 13501-1:2007 + A1:2009 - class B
ASTM E84 - class A





Set of 24 sound-absorbing PET felt wall tiles



Colours	Article number
Yellow set 8x yellow / 8x light grey / 8x dark grey	11209.010
Petrol green set 8x petrol green / 8x light grey / 8x dark grey	11209.011
Grey set 12x light grey / 12x dark grey	11209.012

- Set of 24 tiles, 30 x 30 cm
- Made of recycled PET bottles
- With finished edges
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.6
- Can also serve as pinboard
- Flammability: EN 13501-1:2007 + A1:2009 - class B
ASTM E84 - class A




Set 22 sound absorbing PET felt hexagon tiles



Colours	Article number
22x light grey	11209.100
22x dark grey	11209.101
22x beige	11209.102
22x blue	11209.103
Mix	11209.104
<i>6x light grey, 6x dark grey, 5x beige, 5x blue</i>	

- Set of 22 tiles, 30 x 26 cm
- Total surface area: $\pm 1,57 \text{ m}^2$
- Thickness PET felt: 9 mm
- Made of recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Flammability: ASTM E84 - class A



Set 22 sound absorbing PET felt parallelogram tiles



Colours	Article number
22x light grey	11209.110
22x Ddark grey	11209.111
22x beige	11209.112
22x blue	11209.113
Mix	11209.114
<i>6x light grey, 6x dark grey, 5x beige, 5x blue</i>	

- Set of 22 tiles, 30 x 25 cm
- Total surface area: $\pm 1,25 \text{ m}^2$
- Thickness PET felt: 9 mm
- Made of recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Flammability: ASTM E84 - class A





Set 22 sound absorbing PET felt Japanese wave tiles



Colours	Article number
22x light grey	11209.120
22x dark grey	11209.121
22x beige	11209.122
22x blue	11209.123
Mix	11209.124
<i>6x light grey, 6x dark grey, 5x beige, 5x blue</i>	

- Set of 22 tiles, 30 x 26 cm
- Total surface area: ± 1,25 m²
- Thickness PET felt: 9 mm
- Made of recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Flammability: ASTM E84 - class A



Set of 4 sound-absorbing PET felt wall panels



Colour	Panel sizes	Article number
Yellow	30x120 cm	11209.020
Petrol green	30x120 cm	11209.021
Light grey	30x120 cm	11209.022
Dark grey	30x120 cm	11209.023

- Set of 4 panels tiles, 30 x 30 cm
- Made of recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.6
- Can also serve as pinboard
- Flammability: EN 13501-1:2007 + A1:2009 - class B
ASTM E84 - class A




Set 6 sound absorbing PET felt oval strips



Colours
Light grey
Dark grey
Beige
Blue

Article number
11209.130
11209.131
11209.132
11209.133

- Set of 6, 30 x 120 cm
- Total surface area: $\pm 1,9 \text{ m}^2$
- Thickness PET felt: 9 mm
- Made of recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Flammability: ASTM E84 - class A




Set 6 sound absorbing PET felt parallelogram strips



Colours
Light grey
Dark grey
Beige
Blue

Article number
11209.140
11209.141
11209.142
11209.143

- Set of 6, 30 x 120 cm
- Total surface area: $\pm 1,9 \text{ m}^2$
- Thickness PET felt: 9 mm
- Made of recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Flammability: ASTM E84 - class A




Set 6 sound absorbing PET felt trapezoid strips



Colours	Article number
Light grey	11209.150
Dark grey	11209.151
Beige	11209.152
Blue	11209.153

- Set of 6, 30 x 120 cm
- Total surface area: ± 1,9 m²
- Thickness PET felt: 9 mm
- Made of recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Flammability: ASTM E84 - class A





Rectangular, sound-absorbing PET felt ceiling tiles



Colour	Panel sizes	Article number
Yellow	60x120 cm	11209.030
Petrol green	60x120 cm	11209.031
Light grey	60x120 cm	11209.032
Dark grey	60x120 cm	11209.033

- Acoustic panel measuring 60 x 120 cm
- Made of recycled PET bottles
- Acoustic value: NCR = 0.6
- Can also serve as pinboard
- Flammability: EN 13501-1:2007 + A1:2009 - class B
ASTM E84 - class A



Sound-absorbing circular ceiling panels




Colour	Quantity	Article number
Yellow	1	11209.040
Petrol green	1	11209.041
Light grey	1	11209.042
Dark grey	1	11209.043

- Acoustic panel, Ø120 cm
- Made of recycled PET bottles
- with finished edges
- Acoustic value: NCR = 0.6
- Can also serve as pinboard
- Mounting materials supplied suitable for both suspended ceiling and fixed ceiling
- Mounting height adjustable to a maximum of 200 cm below the ceiling
- Also suitable for wall mounting with supplied adhesives for various surfaces
- Flammability: EN 13501-1:2007 + A1:2009 - class B
ASTME84 - class A



Sound-absorbing desk partition screen



Colour	Quantity	Dimensions	Article number
Light grey	1	60 x 75 cm	11209.050
Light grey	1	60 x 120 cm	11209.051
Light grey	1	60 x 160 cm	11209.052

- Acoustic panel, 60 x 75 / 120 / 160 cm
- Made of recycled PET bottles
- Acoustic value: NCR = 0.6
- Can also serve as pinboard
- The 2 clamps provided, suitable for desks between 12 and 48 mm thick, hold the panel firmly in place.
- Can easily be attached to individual and connected (height adjustable) desks
- Lightweight, rigid material
- Flammability: EN 13501-1:2007 + A1:2009 - class B
ASTME84 - class A



Sound absorbing PET felt partition screens L



Colour	Quantity	Size (WxDxH)	Article number
Light grey	1	150x55x50cm	11209.160
Light grey	1	150x35x50 cm	11209.161
Light grey	1	150x15x50 cm	11209.162
Beige	1	150x55x50cm	11209.163
Beige	1	150x35x50 cm	11209.164
Beige	1	150x15x50 cm	11209.165

- Free-standing partition screens made of recycled PET bottles
- Available in 3 different depth sizes
- Panel thickness: 9 mm
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Perforated pattern preserves spatial openness
- Easy assembly
- Lightweight, rigid material
- Flammability: ASTM E84 - class A

Sound absorbing PET felt partition screens M



Colour	Quantity	Size (WxDxH)	Article number
Lichtgrijs	1	100x55x50cm	11209.166
Lichtgrijs	1	100x35x50 cm	11209.167
Lichtgrijs	1	100x15x50 cm	11209.168
Beige	1	100x55x50cm	11209.169
Beige	1	100x35x50 cm	11209.170
Beige	1	100x15x50 cm	11209.171

- Free-standing partition screens made of recycled PET bottles
- Available in 3 different depth sizes
- Panel thickness: 9 mm
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Perforated pattern preserves spatial openness
- Easy assembly
- Lightweight, rigid material
- Flammability: ASTM E84 - class A




Sound absorbing PET felt partition screens S



Colour	Quantity	Size (WxDxH)	Article number
Lichtgrijs	1	70x55x50cm	11209.172
Lichtgrijs	1	70x35x50 cm	11209.173
Lichtgrijs	1	70x15x50 cm	11209.174
Beige	1	70x55x50cm	11209.175
Beige	1	70x35x50 cm	11209.176
Beige	1	70x15x50 cm	11209.177

- Free-standing partition screens made of recycled PET bottles
- Available in 3 different depth sizes
- Panel thickness: 9 mm
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Perforated pattern preserves spatial openness
- Easy assembly
- Lightweight, rigid material
- Flammability: ASTM E84 - class A




Sound-absorbing suspended partition



Colour	Quantity	Article number
Petrol green	1	11209.060
Light grey	1	11209.061

- Acoustic panel, 120 x 200 cm
- Made of recycled PET bottles
- Lightweight material
- Acoustic value: NCR = 0.6
- Can also serve as pinboard
- Mounting materials supplied suitable for both suspended ceiling and fixed ceiling
- Mounting height adjustable to a maximum of 200 cm below the ceiling
- See-through pattern maintains sense of spaciousness
- Flammability: EN 13501-1:2007 + A1:2009 - class B
ASTM E84 - class A



Sound-absorbing desk partition



Colour	Quantity	Article number
Light grey	1	11209.070

- Acoustic panel, 100 x 180 cm
- Made of recycled PET bottles
- Acoustic value: NCR = 0.6
- Can also serve as pinboard
- Easy to set up on the 2 free-standing feet made of the same material
- Lightweight, rigid material
- See-through pattern maintains sense of spaciousness
- Flammability: EN 13501-1:2007 + A1:2009 - class B
ASTME84 - class A

All Smit Visual acoustic products are available as 3D models



Sound absorbing PET felt linkable partition wall



Kleur	Afmeting	Artikelnummer
Lichtgrijs	180x100 cm	11209.180
Lichtgrijs	140x100 cm	11209.181
Lichtgrijs	120x100 cm	11209.182

- Free-standing partition wall made from recycled PET bottles
- Thickness PET felt: 18 mm
- Acoustic value: NCR = 0.6
- Can also serve as pinboard
- Includes Velcro coupling system for extra stability
- See-through pattern maintains sense of spaciousness
- Easy to set up on the 2 free-standing feet made of the same material
- Lightweight, rigid material
- Flammability: ASTM E84 - class A