



# Acoustic

Good acoustics are a basic requirement for any business premises. The Smit Visual Acoustic range responds to this with easy to use products that muffle annoying sound reverberations.



Wall tiles	184
Wall panels	189
Ceiling panels	193
Partition screens	195
Partition walls	199
Aoustic Art	202





Set of 12 sound-absorbing PET felt wall tiles



Colours	Article number
Yellow set	
4x yellow / 4x light grey / 4x dark grey	11209.000
Petrol green set	
4x petrol green / 4x light grey / 4x dark grey	11209.001
Grey set	
6x light grey / 6x dark grey	11209.002
Beige set	
4x beige / 4x light grey / 4x dark grey	11209.003
Blue set	
4x blue / 4x light grey / 4x dark grey	11209.004

- Set of 12 tiles, 30 x 30 cm
- Made with recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic performance: NCR = 0.6
- Can also serve as pinboard
- Flammability: EN 13501-1:2007 + A1:2009 - class B
- ASTM E84 - class A




Set of 24 sound-absorbing PET felt wall tiles



Colours	Article number
Yellow set	
8x yellow / 8x light grey / 8x dark grey	11209.010
Petrol green set	
8x petrol green / 8x light grey / 8x dark grey	11209.011
Grey set	
12x light grey / 12x dark grey	11209.012
Beige set	
8x beige / 8x light grey / 8x dark grey	11209.013
Blue set	
8x blue / 8x light grey / 8x dark grey	11209.014

- Set of 24 tiles, 30 x 30 cm
- Made with recycled PET bottles
- With finished edges
- Simple tape fixation, suitable for various surfaces
- Acoustic performance: NCR = 0.6
- Can also serve as pinboard
- Flammability: EN 13501-1:2007 + A1:2009 - class B
- ASTM E84 - class A




Set 22 sound absorbing PET felt hexagon tiles



Colours	Article number
22× light grey	11209.100
22× dark grey	11209.101
22× beige	11209.102
22× blue	11209.103
Mix	11209.104
<i>6× light grey, 6× dark grey, 5× beige, 5× blue</i>	

- Set of 22 tiles, 30 x 26 cm
- Total surface area: ± 1,57 m²
- Thickness PET felt: 9 mm
- Made with recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Flammability: ASTM E84 - class A



Set 22 sound absorbing PET felt parallelogram tiles



Colours	Article number
22× light grey	11209.110
22× Ddark grey	11209.111
22× beige	11209.112
22× blue	11209.113
Mix	11209.114
<i>6× light grey, 6× dark grey, 5× beige, 5× blue</i>	

- Set of 22 tiles, 30 x 25 cm
- Total surface area: ± 1,25 m²
- Thickness PET felt: 9 mm
- Made with recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Flammability: ASTM E84 - class A






Set 22 sound absorbing PET felt Japanese wave tiles



Colours	Article number
22x light grey	11209.120
22x dark grey	11209.121
22x beige	11209.122
22x blue	11209.123
Mix	11209.124
6x light grey, 6x dark grey, 5x beige, 5x blue	

- Set of 22 tiles, 30 x 26 cm
- Total surface area: ± 1,25 m²
- Thickness PET felt: 9 mm
- Made with recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Flammability: ASTM E84 - class A





Set of 4 sound-absorbing PET felt wall panels



Colour	Panel sizes	Article number
Yellow	120x30 cm	11209.020
Petrol green	120x30 cm	11209.021
Light grey	120x30 cm	11209.022
Dark grey	120x30 cm	11209.023
Beige	120x30 cm	11209.023
Blue	120x30 cm	11209.024

- Set of 4 panels tiles, 30 x 30 cm
- Made with recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic performance: NCR = 0.6
- Can also serve as pinboard
- Flammability: EN 13501-1:2007 + A1:2009 - class B  
ASTM E84 - class A




### Set 6 sound absorbing PET felt oval strips



Colours  
Light grey  
Dark grey  
Beige  
Blue

Article number  
11209.130  
11209.131  
11209.132  
11209.133

- Set of 6, 120 x 30 cm
- Total surface area:  $\pm 1,9 \text{ m}^2$
- Thickness PET felt: 9 mm
- Made with recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Flammability: ASTM E84 - class A



### Set 6 sound absorbing PET felt parallelogram strips




Colours  
Light grey  
Dark grey  
Beige  
Blue

Article number  
11209.140  
11209.141  
11209.142  
11209.143

- Set of 6, 120 x 30 cm
- Total surface area:  $\pm 1,9 \text{ m}^2$
- Thickness PET felt: 9 mm
- Made with recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Flammability: ASTM E84 - class A





Set 6 sound absorbing PET felt trapezoid strips



Colours	Article number
Light grey	11209.150
Dark grey	11209.151
Beige	11209.152
Blue	11209.153

- Set of 6, 120 x 30 cm
- Total surface area:  $\pm 1,9 \text{ m}^2$
- Thickness PET felt: 9 mm
- Made with recycled PET bottles
- Chamfered edges provide a 3D effect with depth
- Simple tape fixation, suitable for various surfaces
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Flammability: ASTM E84 - class A



Rectangular, sound-absorbing PET felt ceiling tiles



Colour	Panel sizes	Article number
Yellow	60x120 cm	11209.030
Petrol green	60x120 cm	11209.031
Light grey	60x120 cm	11209.032
Dark grey	60x120 cm	11209.033
Beige	60x120 cm	11209.034
Blue	60x120 cm	11209.035

- Acoustic panel measuring 60 x 120 cm
- Made with recycled PET bottles
- Acoustic performance: NCR = 0.6
- Can also serve as pinboard
- Mounting materials supplied suitable for both suspended ceiling and fixed ceiling
- Mounting height adjustable to a maximum of 200 cm below the ceiling
- Flammability: EN 13501-1:2007 + A1:2009 - class B  
ASTM E84 - class A



Sound-absorbing circular ceiling panels



Colour	Quantity	Article number
Yellow	1	11209.040
Petrol green	1	11209.041
Light grey	1	11209.042
Dark grey	1	11209.043
Beige	1	11209.044
Blue	1	11209.045

- Acoustic panel, Ø120 cm
- Made with recycled PET bottles
- With chamfered edges
- Acoustic performance: NCR = 0.6
- Can also serve as pinboard
- Mounting materials supplied suitable for both suspended ceiling and fixed ceiling
- Mounting height adjustable to a maximum of 200 cm below the ceiling
- Also suitable for wall mounting with supplied adhesives for various surfaces
- Flammability: EN 13501-1:2007 + A1:2009 - class B  
ASTME84 - class A



Sound-absorbing desk partition screen



Colour	Quantity	Dimensions	Article number
Light grey	1	60 x 75 cm	11209.050
Light grey	1	60 x 120 cm	11209.051
Light grey	1	60 x 160 cm	11209.052

- Acoustic panel, 60 x 75 / 120 / 160 cm
- Made with recycled PET bottles
- Acoustic performance: NCR = 0.6
- Can also serve as pinboard
- The 2 clamps provided, suitable for desks between 12 and 48 mm thick, hold the panel firmly in place.
- Can easily be attached to individual and connected (height adjustable) desks
- Lightweight, rigid material
- Flammability: EN 13501-1:2007 + A1:2009 - class B  
ASTME84 - class A





Sound absorbing PET felt partition screens L



Colour	Quantity	Size (WxDxH)	Article number
Light grey	1	150x55x50cm	11209.160
Light grey	1	150x35x50 cm	11209.161
Light grey	1	150x15x50 cm	11209.162
Beige	1	150x55x50cm	11209.163
Beige	1	150x35x50 cm	11209.164
Beige	1	150x15x50 cm	11209.165

- Free-standing partition screens made with recycled PET bottles
- Available in 3 different depth sizes
- Panel thickness: 9 mm
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Perforated pattern preserves spatial openness
- Easy assembly
- Lightweight, rigid material
- Flammability: ASTM E84 - class A

Sound absorbing PET felt partition screens M



Colour	Quantity	Size (WxDxH)	Article number
Lichtgrijs	1	100x55x50cm	11209.166
Lichtgrijs	1	100x35x50 cm	11209.167
Lichtgrijs	1	100x15x50 cm	11209.168
Beige	1	100x55x50cm	11209.169
Beige	1	100x35x50 cm	11209.170
Beige	1	100x15x50 cm	11209.171

- Free-standing partition screens made with recycled PET bottles
- Available in 3 different depth sizes
- Panel thickness: 9 mm
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Perforated pattern preserves spatial openness
- Easy assembly
- Lightweight, rigid material
- Flammability: ASTM E84 - class A






Sound absorbing PET felt partition screens S



Colour	Quantity	Size (WxDxH)	Article number
Lichtgrijs	1	70x55x50cm	11209.172
Lichtgrijs	1	70x35x50 cm	11209.173
Lichtgrijs	1	70x15x50 cm	11209.174
Beige	1	70x55x50cm	11209.175
Beige	1	70x35x50 cm	11209.176
Beige	1	70x15x50 cm	11209.177

- Free-standing partition screens made with recycled PET bottles
- Available in 3 different depth sizes
- Panel thickness: 9 mm
- Acoustic value: NCR = 0.3
- Can also serve as pinboard
- Perforated pattern preserves spatial openness
- Easy assembly
- Lightweight, rigid material
- Flammability: ASTM E84 - class A




Sound absorbing suspended partition



Colour	Quantity	Article number
Petrol green	1	11209.060
Light grey	1	11209.061
Beige	1	11209.062

- Acoustic panel, 200 x 120 cm
- Made with recycled PET bottles
- Lightweight material
- Acoustic performance: NCR = 0.6
- Can also serve as pinboard
- Mounting materials supplied suitable for both suspended ceiling and fixed ceiling
- Mounting height adjustable to a maximum of 200 cm below the ceiling
- See-through pattern maintains sense of spaciousness
- Flammability: EN 13501-1:2007 + A1:2009 - class B
- ASTM E84 - class A





Sound absorbing desk partition



Colour	Quantity	Article number
Light grey	1	11209.070

- Acoustic panel, 100 x 180 cm
- Made with recycled PET bottles
- Acoustic performance: NCR = 0.6
- Can also serve as pinboard
- Easy to set up on the 2 free-standing feet made of the same material
- Lightweight, rigid material
- See-through pattern maintains sense of spaciousness
- Flammability: EN 13501-1:2007 + A1:2009 - class B
- ASTM E84 - class A




Sound absorbing PET felt linkable paratition wall



Kleur	Afmeting	Artikelnummer
Lichtgrijs	180x100 cm	11209.180
Lichtgrijs	140x100 cm	11209.181
Lichtgrijs	120x100 cm	11209.182

- Free-standing partition wall made with recycled PET bottles
- Thickness PET felt: 18 mm
- Acoustic performance: NCR = 0.6
- Can also serve as pinboard
- Includes Velcro coupling system for extra stability
- See-through pattern maintains sense of spaciousness
- Easy to set up on the 2 free-standing feet made of the same material
- Lightweight, rigid material
- Flammability: ASTM E84 - class A





### FLOW Diptych | Acoustic Art



Colour	Amount	Size (per piece)	Article number
Brown	2	80x60 cm	11209.230

- Acoustic paintings of 80 x 60 cm
- Design: organic
- Made with recycled PET bottles
- Thickness PET felt: 18 mm
- Acoustic performance:  $\alpha_w$  0,45
- Lightweight, rigid material
- Easy mounting
- Sustainable packaging
- Flammability: EN 13501-1:2007 + A1:2009 - class B
- ASTM E84 - class A



### GEO Diptych | Acoustic Art



Colour	Amount	Size (per piece)	Article number
Dark grey	2	80x60 cm	11209.231

- Acoustic paintings of 80 x 60 cm
- Design: geometric
- Made with recycled PET bottles
- Thickness PET felt: 18 mm
- Acoustic performance:  $\alpha_w$  0,45
- Lightweight, rigid material
- Easy mounting
- Sustainable packaging
- Flammability: EN 13501-1:2007 + A1:2009 - class B
- ASTM E84 - class A





FLOW Large | Acoustic Art



Colour	Amount	Size	Article number
Beige	1	120x80 cm	11209.240

- Acoustic painting of 120 x 80 cm
- Design: organic
- Made with recycled PET bottles
- Thickness PET felt: 18 mm
- Acoustic performance:  $\alpha_w$  0,45
- Lightweight, rigid material
- Easy mounting
- Sustainable packaging
- Flammability: EN 13501-1:2007 + A1:2009 - class B
- ASTM E84 - class A



GEO Large | Acoustic Art



Colour	Amount	Size	Article number
Anthracite	1	120x80 cm	11209.241

- Acoustic painting of 120 x 80 cm
- Design: geometric
- Made with recycled PET bottles
- Thickness PET felt: 18 mm
- Acoustic performance:  $\alpha_w$  0,45
- Lightweight, rigid material
- Easy mounting
- Sustainable packaging
- Flammability: EN 13501-1:2007 + A1:2009 - class B
- ASTM E84 - class A





FLOW Extra Large | Acoustic Art



Colour	Amount	Size	Article number
Brown	1	160x120 cm	11209.240

- Acoustic painting of 160 x 120 cm
- Design: organic
- Made with recycled PET bottles
- Thickness PET felt: 18 mm
- Acoustic performance:  $\alpha_w$  0,45
- Lightweight, rigid material
- Easy mounting
- Sustainable packaging
- Flammability: EN 13501-1:2007 + A1:2009 - class B
- ASTM E84 - class A

All Smit Visual acoustic products are available as 3D models



GEO Extra Large | Acoustic Art



Colour	Amount	Size	Article number
Dark grey	1	160x120 cm	11209.241

- Acoustic painting of 160 x 120 cm
- Design: geometric
- Made with recycled PET bottles
- Thickness PET felt: 18 mm
- Acoustic performance:  $\alpha_w$  0,45
- Lightweight, rigid material
- Easy mounting
- Sustainable packaging
- Flammability: EN 13501-1:2007 + A1:2009 - class B
- ASTM E84 - class A